

COMPACTED SALT 3/6

(in conformity with EN 973 type A)

Evaporated salt is produced through solution mining and mechanical evaporation process. Modern production processes of vacuum salt from SALINS DU MIDI ET DES SALINES DE L'EST enable to get a salt with high chemical purity, without element harmful or encrusting for the resins.

PHYSICAL AND CHEMICAL CHARACTERISTICS

Chemical

Loss of mass at à 110°C (water content) ... 0.08 %

ON DRY BASIS :

Sodium chloride (NaCl) 99.9 %

Other salts 0.1 %

Insoluble matters traces

Physical

Bulk density about 1.0

Solubility at 20°C 358 g/kg water

Grains size : 90 % of grains between 2.0 et 6.3 mm.

TREATMENT

None

PACKAGING

- Heat sealed polythene 25 kg bags on 800 x 1200 mm wrapped pallets of 1000 kg net weight.
- Loose salt.
- Store in a dry and cool place away from the sun.

REGULATIONS

EN 973 TYPE A : sodium chloride used for regenerating of ions exchanger resins. Water treatment for human consumption.

USE

- Dishwasher salt.
- Softening of water destined for human consumption, agricultural use or industrial purposes.
- Denitratation of water destined for human consumption, agricultural use or industrial purposes.

PRODUCTION PLANT

Saline of Varangéville (54) - France

Cie des Salins du Midi et des Salines de l'Est

Limited Company with capital value of 113 400 000 Euro - 412.431.744 R.C.S. NANTERRE
137 rue Victor Hugo - 92532 LEVALLOIS PERRET CEDEX - France

Our publications and notes have been created in order to give you the best advice. The instructions regarding the different applications of our products can in no way pledge our liability particularly in case of violation of third parties' rights.

Date de mise à jour	01/27/06	05/22/06	08/21/06	06/18/07	03/13/08	11/19/09	12/31/09	12/08/10					
---------------------	----------	----------	----------	----------	----------	----------	----------	----------	--	--	--	--	--